


WHEELS CENTER CAPS

D17

Outside diameter - Ø (mm)	110.0
Rim hole diameter - Ø (mm)	65.0
Sticker diameter - Ø (mm)	59.0
Fixing length - (mm)	12.0
Length up to fixing - (mm)	6.5
Opel	




D18

Outside diameter - Ø (mm)	113.0
Rim hole diameter - Ø (mm)	99.5
Sticker diameter - Ø (mm)	-
Fixing length - (mm)	11.0
Length up to fixing - (mm)	5.0
Mazda	



D19

Outside diameter - Ø (mm)	115.0
Rim hole diameter - Ø (mm)	82.0
Sticker diameter - Ø (mm)	60.0
Fixing length - (mm)	33.0
Length up to fixing - (mm)	27.0



D54

Outside diameter - Ø (mm)	125.0
Rim hole diameter - Ø (mm)	60.0
Sticker diameter - Ø (mm)	-
Fixing length - (mm)	14.5
Length up to fixing - (mm)	6.0



D55

Outside diameter - Ø (mm)	130.0
Rim hole diameter - Ø (mm)	59.0
Sticker diameter - Ø (mm)	58.0
Fixing length - (mm)	11.0
Length up to fixing - (mm)	6.0
Audi, Volkswagen	



D56

Outside diameter - Ø (mm)	130.0
Rim hole diameter - Ø (mm)	59.0
Sticker diameter - Ø (mm)	58.0
Fixing length - (mm)	11.0
Length up to fixing - (mm)	6.0
Audi, Volkswagen	



D57

Outside diameter - Ø (mm)	130.0
Rim hole diameter - Ø (mm)	68.0
Sticker diameter - Ø (mm)	-
Fixing length - (mm)	34.0
Length up to fixing - (mm)	4.0
Toyota RAV-4	



D58

Outside diameter - Ø (mm)	139.0
Rim hole diameter - Ø (mm)	58.0
Sticker diameter - Ø (mm)	-
Fixing length - (mm)	20.0
Length up to fixing - (mm)	11.0



D59

Outside diameter - Ø (mm)	140.0
Rim hole diameter - Ø (mm)	60.0
Sticker diameter - Ø (mm)	-
Fixing length - (mm)	13.5
Length up to fixing - (mm)	6.0



D60

Outside diameter - Ø (mm)	146.0
Rim hole diameter - Ø (mm)	57.5
Sticker diameter - Ø (mm)	-
Fixing length - (mm)	15.5
Length up to fixing - (mm)	7.0



D61

Outside diameter - Ø (mm)	147.0
Rim hole diameter - Ø (mm)	57.0
Sticker diameter - Ø (mm)	120.0
Fixing length - (mm)	19.0
Length up to fixing - (mm)	11.0
Audi, Volkswagen	




D62

Outside diameter - Ø (mm)	147.0
Rim hole diameter - Ø (mm)	57.5
Sticker diameter - Ø (mm)	120.0
Fixing length - (mm)	26.0
Length up to fixing - (mm)	18.0
Audi, Volkswagen	




D65

Outside diameter - Ø (mm)	147.0
Rim hole diameter - Ø (mm)	58.0
Sticker diameter - Ø (mm)	-
Fixing length - (mm)	18.0
Length up to fixing - (mm)	9.0



D66

Outside diameter - Ø (mm)	147.0
Rim hole diameter - Ø (mm)	60.0
Sticker diameter - Ø (mm)	65.0
Fixing length - (mm)	14.0
Length up to fixing - (mm)	6.0



D67

Outside diameter - Ø (mm)	148.0
Rim hole diameter - Ø (mm)	58.0
Sticker diameter - Ø (mm)	-
Fixing length - (mm)	14.0
Length up to fixing - (mm)	9.0



D70

Outside diameter - Ø (mm)	152.0
Rim hole diameter - Ø (mm)	58.0
Sticker diameter - Ø (mm)	90.0
Fixing length - (mm)	23.0
Length up to fixing - (mm)	15.0



D71

Outside diameter - Ø (mm)	155.0
Rim hole diameter - Ø (mm)	57.5
Sticker diameter - Ø (mm)	64.0
Fixing length - (mm)	13.0
Length up to fixing - (mm)	2.5
Volkswagen	



D72

Outside diameter - Ø (mm)	155.0
Rim hole diameter - Ø (mm)	58.0
Sticker diameter - Ø (mm)	90.0
Fixing length - (mm)	22.0
Length up to fixing - (mm)	18.0
Audi, Volkswagen	




D81

Outside diameter - Ø (mm)	165.0
Rim hole diameter - Ø (mm)	58.0
Sticker diameter - Ø (mm)	90.0
Fixing length - (mm)	18.0
Length up to fixing - (mm)	13.0



D90

Outside diameter - Ø (mm)	150.0
Rim hole diameter - Ø (mm)	142.0
Sticker diameter - Ø (mm)	-
Fixing length - (mm)	12.0
Length up to fixing - (mm)	10.0
Audi, Volkswagen	



D91

Outside diameter - Ø (mm)	156.0
Rim hole diameter - Ø (mm)	112.0
Sticker diameter - Ø (mm)	94.0
Fixing length - (mm)	15.0
Length up to fixing - (mm)	6.0



D92

Outside diameter - Ø (mm)	165.0
Rim hole diameter - Ø (mm)	137.0
Sticker diameter - Ø (mm)	140.0
Fixing length - (mm)	17.0
Length up to fixing - (mm)	10.0
Audi, Volkswagen	




D93

Outside diameter - Ø (mm)	167.0
Rim hole diameter - Ø (mm)	149.5
Sticker diameter - Ø (mm)	132.0
Fixing length - (mm)	18.0
Length up to fixing - (mm)	8.5
Audi, Volkswagen	



M0


Outside diameter - Ø (mm)	50.0
Rim hole diameter - Ø (mm)	43.0
Sticker diameter - Ø (mm)	49.0
Fixing length - (mm)	13.0
Length up to fixing - (mm)	8.5



WHEELS CENTER CAPS

M1

Outside diameter - Ø (mm)	54.0
Rim hole diameter - Ø (mm)	47.0
Sticker diameter - Ø (mm)	53.0
Fixing length - (mm)	13.5
Length up to fixing - (mm)	7.5
Opel	




M2

Outside diameter - Ø (mm)	54.0
Rim hole diameter - Ø (mm)	49.5
Sticker diameter - Ø (mm)	53.0
Fixing length - (mm)	8.5
Length up to fixing - (mm)	3.0
Nissan	



M3

Outside diameter - Ø (mm)	54.5
Rim hole diameter - Ø (mm)	50.0
Sticker diameter - Ø (mm)	53.0
Fixing length - (mm)	13.5
Length up to fixing - (mm)	6.5
Nissan	




M4

Outside diameter - Ø (mm)	55.0
Rim hole diameter - Ø (mm)	49.5
Sticker diameter - Ø (mm)	54.0
Fixing length - (mm)	10.5
Length up to fixing - (mm)	4.5
Nissan	



M5

Outside diameter - Ø (mm)	55.0
Rim hole diameter - Ø (mm)	50.0
Sticker diameter - Ø (mm)	54.0
Fixing length - (mm)	9.0
Length up to fixing - (mm)	3.5
Ford	




M6

Outside diameter - Ø (mm)	55.5
Rim hole diameter - Ø (mm)	51.5
Sticker diameter - Ø (mm)	55.0
Fixing length - (mm)	7.0
Length up to fixing - (mm)	3.0
VW Golf 4	



M7

Outside diameter - Ø (mm)	55.5
Rim hole diameter - Ø (mm)	55.0
Sticker diameter - Ø (mm)	55.0
Fixing length - (mm)	7.5
Length up to fixing - (mm)	2.0
Mazda	




M8

Outside diameter - Ø (mm)	56.0
Rim hole diameter - Ø (mm)	46.0
Sticker diameter - Ø (mm)	55.0
Fixing length - (mm)	10.5
Length up to fixing - (mm)	4.0
Mazda	



M9

Outside diameter - Ø (mm)	56.0
Rim hole diameter - Ø (mm)	51.5
Sticker diameter - Ø (mm)	55.0
Fixing length - (mm)	10.0
Length up to fixing - (mm)	4.5
Barbeta	



M10

Outside diameter - Ø (mm)	56.0
Rim hole diameter - Ø (mm)	51.8
Sticker diameter - Ø (mm)	55.0
Fixing length - (mm)	9.0
Length up to fixing - (mm)	4.0
Nissan	




M11

Outside diameter - Ø (mm)	56.0
Rim hole diameter - Ø (mm)	54.0
Sticker diameter - Ø (mm)	55.0
Fixing length - (mm)	11.0
Length up to fixing - (mm)	3.0
Toyota	



M12

Outside diameter - Ø (mm)	57.5
Rim hole diameter - Ø (mm)	51.5
Sticker diameter - Ø (mm)	57.0
Fixing length - (mm)	15.5
Length up to fixing - (mm)	8.0
Audi, Volkswagen	



M13

Outside diameter - Ø (mm)	57.0
Rim hole diameter - Ø (mm)	51.5
Sticker diameter - Ø (mm)	56.0
Fixing length - (mm)	10.0
Length up to fixing - (mm)	4.5
Renault	




M14

Outside diameter - Ø (mm)	57.5
Rim hole diameter - Ø (mm)	52.5
Sticker diameter - Ø (mm)	57.0
Fixing length - (mm)	11.0
Length up to fixing - (mm)	4.5
Toyota	



M15

Outside diameter - Ø (mm)	58.0
Rim hole diameter - Ø (mm)	56.5
Sticker diameter - Ø (mm)	57.0
Fixing length - (mm)	11.0
Length up to fixing - (mm)	5.0




M16

Outside diameter - Ø (mm)	59.0
Rim hole diameter - Ø (mm)	52.0
Sticker diameter - Ø (mm)	59.0
Fixing length - (mm)	8.0
Length up to fixing - (mm)	3.0
Subaru	



M20

Outside diameter - Ø (mm)	59.0
Rim hole diameter - Ø (mm)	53.5
Sticker diameter - Ø (mm)	59.0
Fixing length - (mm)	9.0
Length up to fixing - (mm)	4.5
BMW	



M22

Outside diameter - Ø (mm)	59.0
Rim hole diameter - Ø (mm)	55.0
Sticker diameter - Ø (mm)	51.0
Fixing length - (mm)	9.5
Length up to fixing - (mm)	5.0
Kia	



M23

Outside diameter - Ø (mm)	59.0
Rim hole diameter - Ø (mm)	55.0
Sticker diameter - Ø (mm)	-
Fixing length - (mm)	9.0
Length up to fixing - (mm)	5.0
Kia (spherical surface)	



M24

Outside diameter - Ø (mm)	59.0
Rim hole diameter - Ø (mm)	55.0
Sticker diameter - Ø (mm)	59.0
Fixing length - (mm)	9.5
Length up to fixing - (mm)	5.0
Kia	



M25

Outside diameter - Ø (mm)	59.5
Rim hole diameter - Ø (mm)	46.5
Sticker diameter - Ø (mm)	59.0
Fixing length - (mm)	16.5
Length up to fixing - (mm)	10.5
Opel, Chevrolet	



M26

Outside diameter - Ø (mm)	59.5
Rim hole diameter - Ø (mm)	56.0
Sticker diameter - Ø (mm)	59.0
Fixing length - (mm)	8.5
Length up to fixing - (mm)	3.5
Ford	



M27

Outside diameter - Ø (mm)	59.5
Rim hole diameter - Ø (mm)	56.5
Sticker diameter - Ø (mm)	-
Fixing length - (mm)	6.5
Length up to fixing - (mm)	2.5
Audi	



M28

Outside diameter - Ø (mm)	60.0
Rim hole diameter - Ø (mm)	43.0
Sticker diameter - Ø (mm)	59.0
Fixing length - (mm)	11.5
Length up to fixing - (mm)	5.5
Peugeot	



WHEELS CENTER CAPS

M29

Outside diameter - Ø (mm)	60.0
Rim hole diameter - Ø (mm)	49.5
Sticker diameter - Ø (mm)	59.0
Fixing length - (mm)	12.5
Length up to fixing - (mm)	7.0
Peugeot	



M30

Outside diameter - Ø (mm)	60.0
Rim hole diameter - Ø (mm)	55.0
Sticker diameter - Ø (mm)	54.0
Fixing length - (mm)	12.5
Length up to fixing - (mm)	6.0
Hyundai	



M31

Outside diameter - Ø (mm)	60.0
Rim hole diameter - Ø (mm)	55.5
Sticker diameter - Ø (mm)	59.0
Fixing length - (mm)	10.0
Length up to fixing - (mm)	5.0
CMS (Chinese)	



M32

Outside diameter - Ø (mm)	60.0
Rim hole diameter - Ø (mm)	56.0
Sticker diameter - Ø (mm)	59.0
Fixing length - (mm)	8.5
Length up to fixing - (mm)	2.5
CAM (Chinese)	




M33

Outside diameter - Ø (mm)	60.0
Rim hole diameter - Ø (mm)	56.0
Sticker diameter - Ø (mm)	39.0
Fixing length - (mm)	9.0
Length up to fixing - (mm)	4.5



M34

Outside diameter - Ø (mm)	60.0
Rim hole diameter - Ø (mm)	56.5
Sticker diameter - Ø (mm)	59.0
Fixing length - (mm)	10.0
Length up to fixing - (mm)	6.0




M35

Outside diameter - Ø (mm)	60.5
Rim hole diameter - Ø (mm)	56.5
Sticker diameter - Ø (mm)	60.0
Fixing length - (mm)	11.5
Length up to fixing - (mm)	2.5
Opel	



M36

Outside diameter - Ø (mm)	60.0
Rim hole diameter - Ø (mm)	57.5
Sticker diameter - Ø (mm)	59.0
Fixing length - (mm)	10.5
Length up to fixing - (mm)	3.0
Peugeot	



M37

Outside diameter - Ø (mm)	60.0
Rim hole diameter - Ø (mm)	58.0
Sticker diameter - Ø (mm)	-
Fixing length - (mm)	11.5
Length up to fixing - (mm)	3.5
Kia	



M38

Outside diameter - Ø (mm)	61.5
Rim hole diameter - Ø (mm)	48.0
Sticker diameter - Ø (mm)	61.0
Fixing length - (mm)	8.5
Length up to fixing - (mm)	2.5



M39

Outside diameter - Ø (mm)	61.5
Rim hole diameter - Ø (mm)	55.5
Sticker diameter - Ø (mm)	61.0
Fixing length - (mm)	7.0
Length up to fixing - (mm)	2.0
Mazda	



M40

Outside diameter - Ø (mm)	62.5
Rim hole diameter - Ø (mm)	55.5
Sticker diameter - Ø (mm)	58.0
Fixing length - (mm)	6.5
Length up to fixing - (mm)	2.5




M41

Outside diameter - Ø (mm)	62.5
Rim hole diameter - Ø (mm)	57.0
Sticker diameter - Ø (mm)	61.0
Fixing length - (mm)	16.0
Length up to fixing - (mm)	8.0
Toyota	



M42

Outside diameter - Ø (mm)	62.0
Rim hole diameter - Ø (mm)	60.0
Sticker diameter - Ø (mm)	60.0
Fixing length - (mm)	13.0
Length up to fixing - (mm)	9.0
Lexus	




M43

Outside diameter - Ø (mm)	63.0
Rim hole diameter - Ø (mm)	54.0
Sticker diameter - Ø (mm)	62.0
Fixing length - (mm)	7.5
Length up to fixing - (mm)	4.0
Audi, VW, Skoda	




M44

Outside diameter - Ø (mm)	63.0
Rim hole diameter - Ø (mm)	57.5
Sticker diameter - Ø (mm)	63.0
Fixing length - (mm)	14.5
Length up to fixing - (mm)	6.0
Toyota, Lexus	



M45

Outside diameter - Ø (mm)	63.0
Rim hole diameter - Ø (mm)	58.5
Sticker diameter - Ø (mm)	62.0
Fixing length - (mm)	7.5
Length up to fixing - (mm)	2.5
Toyota	



M46

Outside diameter - Ø (mm)	63.5
Rim hole diameter - Ø (mm)	61.0
Sticker diameter - Ø (mm)	63.0
Fixing length - (mm)	6.0
Length up to fixing - (mm)	2.5
Alutec	



M47

Outside diameter - Ø (mm)	64.0
Rim hole diameter - Ø (mm)	57.0
Sticker diameter - Ø (mm)	63.0
Fixing length - (mm)	10.0
Length up to fixing - (mm)	5.0
Aronal CMS	



M48

Outside diameter - Ø (mm)	64.0
Rim hole diameter - Ø (mm)	58.0
Sticker diameter - Ø (mm)	63.0
Fixing length - (mm)	10.5
Length up to fixing - (mm)	4.5
VW, Seat	




M49

Outside diameter - Ø (mm)	64.0
Rim hole diameter - Ø (mm)	61.5
Sticker diameter - Ø (mm)	64.0
Fixing length - (mm)	10.0
Length up to fixing - (mm)	4.0
Volvo	



M50

Outside diameter - Ø (mm)	64.5
Rim hole diameter - Ø (mm)	55.0
Sticker diameter - Ø (mm)	64.0
Fixing length - (mm)	17.5
Length up to fixing - (mm)	10.0
Audi, VW	



M51

Outside diameter - Ø (mm)	64.5
Rim hole diameter - Ø (mm)	60.0
Sticker diameter - Ø (mm)	64.0
Fixing length - (mm)	11.5
Length up to fixing - (mm)	3.5
Opel	



M52

Outside diameter - Ø (mm)	66.0
Rim hole diameter - Ø (mm)	56.0
Sticker diameter - Ø (mm)	62.0
Fixing length - (mm)	7.0
Length up to fixing - (mm)	2.5



WHEELS CENTER CAPS


M53

Outside diameter - Ø (mm)	66.5
Rim hole diameter - Ø (mm)	56.0
Sticker diameter - Ø (mm)	66.0
Fixing length - (mm)	12.0
Length up to fixing - (mm)	4.0
Audi, VW	



M63

Outside diameter - Ø (mm)	67.0
Rim hole diameter - Ø (mm)	56.0
Sticker diameter - Ø (mm)	66.0
Fixing length - (mm)	17.5
Length up to fixing - (mm)	13.0
Opel	



M64

Outside diameter - Ø (mm)	67.5
Rim hole diameter - Ø (mm)	62.5
Sticker diameter - Ø (mm)	44.0
Fixing length - (mm)	8.5
Length up to fixing - (mm)	5.0



M68

Outside diameter - Ø (mm)	68.0
Rim hole diameter - Ø (mm)	55.5
Sticker diameter - Ø (mm)	-
Fixing length - (mm)	11.0
Length up to fixing - (mm)	4.0
Audi	




M75

Outside diameter - Ø (mm)	68.0
Rim hole diameter - Ø (mm)	62.5
Sticker diameter - Ø (mm)	59.0
Fixing length - (mm)	9.0
Length up to fixing - (mm)	3.5
Opel	




M77

Outside diameter - Ø (mm)	69.5
Rim hole diameter - Ø (mm)	56.0
Sticker diameter - Ø (mm)	69.0
Fixing length - (mm)	12.0
Length up to fixing - (mm)	3.5
Audi	




M78

Outside diameter - Ø (mm)	69.5
Rim hole diameter - Ø (mm)	63.0
Sticker diameter - Ø (mm)	69.0
Fixing length - (mm)	11.0
Length up to fixing - (mm)	5.0
Honda	



M79

Outside diameter - Ø (mm)	70.0
Rim hole diameter - Ø (mm)	60.0
Sticker diameter - Ø (mm)	69.0
Fixing length - (mm)	12.5
Length up to fixing - (mm)	2.0
Audi, VW	



M80

Outside diameter - Ø (mm)	70.0
Rim hole diameter - Ø (mm)	63.0
Sticker diameter - Ø (mm)	69.0
Fixing length - (mm)	21.0
Length up to fixing - (mm)	9.5



M82

Outside diameter - Ø (mm)	75.0
Rim hole diameter - Ø (mm)	72.0
Sticker diameter - Ø (mm)	74.0
Fixing length - (mm)	14.0
Length up to fixing - (mm)	7.5



M84

Outside diameter - Ø (mm)	76.0
Rim hole diameter - Ø (mm)	58.5
Sticker diameter - Ø (mm)	75.0
Fixing length - (mm)	16.0
Length up to fixing - (mm)	8.5



M85

Outside diameter - Ø (mm)	76.5
Rim hole diameter - Ø (mm)	65.5
Sticker diameter - Ø (mm)	76.0
Fixing length - (mm)	12.5
Length up to fixing - (mm)	4.0

